

**CÁP ĐIỀU KHIỂN CHỐNG BÉN CHÁY KHÔNG CÓ MÀN CHẮN KIM LOẠI 0,6/1kV**

FRT-CVV: Cu/XLPE/FRT-PVC

Tiêu chuẩn áp dụng: IEC 60502-1:2009, IEC60331-21:1999

Quy cách	Kết cấu (N <sup>0</sup> /mm)	Đơn giá (VNĐ/m)
2 x 1.5 mm <sup>2</sup>	7/0.53	26,500
2 x 2.5 mm <sup>2</sup>	7/0.67	30,000
2 x 4.0 mm <sup>2</sup>	7/0.85	42,500
2 x 6.0 mm <sup>2</sup>	7/1.04	55,000
3 x 1.5 mm <sup>2</sup>	7/0.53	30,200
3 x 2.5 mm <sup>2</sup>	7/0.67	35,200
3 x 4.0 mm <sup>2</sup>	7/0.85	51,500
3 x 6.0 mm <sup>2</sup>	7/1.04	68,000
4 x 1.5 mm <sup>2</sup>	7/0.53	35,500
4 x 2.5 mm <sup>2</sup>	7/0.67	42,000
4 x 4.0 mm <sup>2</sup>	7/0.85	62,500
4 x 6.0 mm <sup>2</sup>	7/1.04	84,000
5 x 1.5 mm <sup>2</sup>	7/0.53	38,200
5 x 2.5 mm <sup>2</sup>	7/0.67	45,600
5 x 4.0 mm <sup>2</sup>	7/0.85	69,000
5 x 6.0 mm <sup>2</sup>	7/1.04	93,600
7 x 1.5 mm <sup>2</sup>	7/0.53	48,200
7 x 2.5 mm <sup>2</sup>	7/0.67	58,500
7 x 4.0 mm <sup>2</sup>	7/0.85	90,500
7 x 6.0 mm <sup>2</sup>	7/1.04	124,500
10 x 1.5 mm <sup>2</sup>	7/0.53	66,000
10 x 2.5 mm <sup>2</sup>	7/0.67	81,000
10 x 4.0 mm <sup>2</sup>	7/0.85	126,500
10 x 6.0 mm <sup>2</sup>	7/1.04	174,500
12 x 1.5 mm <sup>2</sup>	7/0.53	75,200
12 x 2.5 mm <sup>2</sup>	7/0.67	93,200
12 x 4.0 mm <sup>2</sup>	7/0.85	146,600
12 x 6.0 mm <sup>2</sup>	7/1.04	204,000
30 x 1.5 mm <sup>2</sup>	7/0.53	162,000
30 x 2.5 mm <sup>2</sup>	7/0.67	226,500
37 x 1.5 mm <sup>2</sup>	7/0.53	194,200
37 x 2.5 mm <sup>2</sup>	7/0.67	273,200



