

CẤP ĐIỀU KHIỂN CHỐNG CHÁY KHÔNG CÓ MÀN CHẮN KIM LOẠI 0,6/1kV

FR-CVV: Cu/Mica/XLPE/FR-PVC

Tiêu chuẩn áp dụng: IEC 60502-1:2009, IEC60331-21:1999

Quy cách	Kết cấu (N ⁰ /mm)	Đơn giá (VNĐ/m)
2 x 1.5 mm ²	7/0.53	33,500
2 x 2.5 mm ²	7/0.67	41,500
2 x 4.0 mm ²	7/0.85	54,000
2 x 6.0 mm ²	7/1.04	68,600
3 x 1.5 mm ²	7/0.53	41,000
3 x 2.5 mm ²	7/0.67	51,500
3 x 4.0 mm ²	7/0.85	68,500
3 x 6.0 mm ²	7/1.04	88,600
4 x 1.5 mm ²	7/0.53	49,800
4 x 2.5 mm ²	7/0.67	63,500
4 x 4.0 mm ²	7/0.85	85,200
4 x 6.0 mm ²	7/1.04	111,200
5 x 1.5 mm ²	7/0.53	56,500
5 x 2.5 mm ²	7/0.67	72,200
5 x 4.0 mm ²	7/0.85	97,500
5 x 6.0 mm ²	7/1.04	128,000
7 x 1.5 mm ²	7/0.53	73,500
7 x 2.5 mm ²	7/0.67	95,000
7 x 4.0 mm ²	7/0.85	129,800
7 x 6.0 mm ²	7/1.04	172,200
10 x 1.5 mm ²	7/0.53	102,200
10 x 2.5 mm ²	7/0.67	132,800
10 x 4.0 mm ²	7/0.85	182,500
10 x 6.0 mm ²	7/1.04	242,600
12 x 1.5 mm ²	7/0.53	118,500
12 x 2.5 mm ²	7/0.67	154,800
12 x 4.0 mm ²	7/0.85	213,800
12 x 6.0 mm ²	7/1.04	285,600
30 x 1.5 mm ²	7/0.53	269,500
30 x 2.5 mm ²	7/0.67	358,200
37 x 1.5 mm ²	7/0.53	326,600
37 x 2.5 mm ²	7/0.67	435,600

